







| Part #   | Shaft Length (in) | Hex Size(in)   |
|----------|-------------------|----------------|
| 217-3309 | 18<br>[457.2]     | .500<br>[12.7] |
| 217-2753 | 36<br>[914.4]     | .500<br>[12.7] |
| 217-3310 | 18<br>[457.2]     | .375<br>[9.53] |
| 217-2754 | 36<br>[914.4]     | .375<br>[9.53] |



|             |                            |                                           |
|-------------|----------------------------|-------------------------------------------|
| Description | Hex Stock                  |                                           |
| Dwg No      | VEXpro-Shaft-Stock-Drawing |                                           |
| Project     | VEXpro                     | Sheet 1 of 3                              |
| Release     | 11/30/2016                 | <b>ALL DIMENSIONS ARE IN INCHES [MM].</b> |

**WWW.VEXPRO.COM**



Shaft mates with any 1/2" Hex Bore Component


Shaft mates with ThunderHex Bearings (217-4006, 217-4270)

| Part #   | Shaft Length(in) |
|----------|------------------|
| 217-4002 | 18<br>[457.2]    |
| 217-4017 | 36<br>[914.4]    |



|             |                            |                                    |
|-------------|----------------------------|------------------------------------|
| Description | ThunderHex Stock           |                                    |
| Dwg No      | VEXpro-Shaft-Stock-Drawing |                                    |
| Project     | VEXpro                     | Sheet 2 of 3                       |
| Release     | 11/30/2016                 | ALL DIMENSIONS ARE IN INCHES [MM]. |

[WWW.VEXPRO.COM](http://WWW.VEXPRO.COM)



| Part #   | Shaft Length(in) | Outer Diameter(in) | Inner Diameter(in)                               |
|----------|------------------|--------------------|--------------------------------------------------|
| 217-3311 | 18<br>[457.2]    | .498<br>[12.65]    | .258<br>[6.55]<br>CLEARANCE FOR<br>1/4" FASTENER |
| 217-2762 | 36<br>[914.4]    | .498<br>[12.65]    | .258<br>[6.55]<br>CLEARANCE FOR<br>1/4" FASTENER |
| 217-5518 | 18<br>[457.2]    | .375<br>[9.53]     | .201<br>[5.11]<br>CLEARANCE FOR<br>#10 FASTENER  |
| 217-5519 | 36<br>[914.4]    | .375<br>[9.53]     | .201<br>[5.11]<br>CLEARANCE FOR<br>#10 FASTENER  |



|             |                            |                                           |
|-------------|----------------------------|-------------------------------------------|
| Description | Tube Axle Stock            |                                           |
| Dwg No      | VEXpro-Shaft-Stock-Drawing |                                           |
| Project     | VEXpro                     | Sheet 3 of 3                              |
| Release     | 11/30/2016                 | <b>ALL DIMENSIONS ARE IN INCHES [MM].</b> |

**WWW.VEXPRO.COM**